
SCAFFOLD FRAME MEASUREMENT CHART

This chart can be used as a reference guide to match existing inventory without access to the part number.



Step Frame



_____ A. **Specify Rotation of Pin Holes** - 90° or 45° top & bottom. 90° is standard.

_____ B. **Width of Frame Center to Center** – Measure from outside to inside of tube leg.

_____ C. **Frame Height** – Measure overall top to bottom. DO NOT include insert in measurement.

_____ D. **Lock Spacing** – Measure from top lock to bottom lock.

_____ E. **Lock Location** – Measure between top of leg and center of lock.

_____ F. **Tube Size** – Measure leg outside diameter: 1 ½”, 1 $^{5}/_{8}$”, or 1 $^{11}/_{16}$” standard sizes.


_____ G. **Number of Steps** – Specify number of steps between top and bottom ledger.

SCAFFOLD FRAME MEASUREMENT CHART

This chart can be used as a reference guide to match existing inventory without access to the part number.



Open Frame



_____ A. **Specify Rotation of Pin Holes** - 90° or 45° top & bottom. 90° is standard.

_____ B. **Width of Frame Center to Center** – Measure from outside to inside of tube leg.

_____ C. **Frame Height** – Measure overall top to bottom. DO NOT include insert in measurement.

_____ D. **Lock Spacing** – Measure from top lock to bottom lock.

_____ E. **Lock Location** – Measure between top of leg and center of lock.


_____ F. **Tube Size** – Measure leg outside diameter: 1 ½”, 1 $^{5}/_{8}$”, or 1 $^{11}/_{16}$” standard sizes.

SCAFFOLD FRAME MEASUREMENT CHART

This chart can be used as a reference guide to match existing inventory without access to the part number.



Ladder Frame



_____ A. **Specify Rotation of Pin Holes** - 90° or 45° top & bottom. 90° is standard.

_____ B. **Width of Frame Center to Center** – Measure from outside to inside of tube leg.

_____ C. **Frame Height** – Measure overall top to bottom. DO NOT include insert in measurement.

_____ D. **Lock Spacing** – Measure from top lock to bottom lock.

_____ E. **Lock Location** – Measure between top of leg and center of lock.

_____ F. **Tube Size** – Measure leg outside diameter: 1 ½”, 1 $^{5}/_{8}$”, or 1 $^{11}/_{16}$” standard sizes.

_____ G. **Number of Steps** – Specify number of steps between top and bottom ledger.